

DRUG USE AMONG ONTARIO STUDENTS


Highlights from the Ontario Student Drug Use and Health Survey (OSDUHS)


January 31, 2018 10:30am-12pm

About the Provincial SystemSupport Program (PSSP)

 Supports Ontario's Comprehensive Mental Health and Addictions Strategy, through system interventions.

- Provides capacity and expertise in:
 - knowledge exchange
 - information management
 - implementation
 - coaching
 - equity and engagement
 - evaluation







What is the Ontario Student Drug Use and Health Survey (OSDUHS)?

- A repeated, cross-sectional, anonymous survey
- Self-reported questionnaires
- Grades 7 to 12 in Ontario's publicly-funded schools
- Schools are randomly selected with probability proportionate to school enrolment size
- All students in a class with signed consent forms are eligible to participate
- French questionnaires used in French schools


HAPPY 40TH BIRTHDAY OSDUHS!



- Conducted every two years since 1977
- Longest ongoing student survey in Canada and one of the longest in the world

Topics Explored

- Drug use and related harm indicators
- Family and school life
- Drug perceptions
- Substance use and injury
- Mental and physical health indicators
- Antisocial behaviours
- Violence at school
- Bullying (including cyberbullying)
- Gambling and video gaming problems



About the 2017 Survey Participants:



11,435 students in grades 7-12



52 school boards



764 classes and214 schools




Poll:

In the past year, what were the 3 drugs Gr. 7- 12 students reported using the most?




Lifetime and Past Year Drug Use

Percentage of students reporting lifetime and past year drug use



Frequency of Drug Use (total sample)


Percentage Reporting Frequent Drug Use (Six Times or More Often) in the Past Year, 2017 OSDUHS (Total Sample)






Frequency of Drug Use (among users)

Frequency of Drug Use in the Past Year, Among Users, 2017 OSDUHS (Grades 9–12 only)






Significant Changes in the Past Year Drug Use






DRUG SPECIFIC HIGHLIGHTS



Past Year Alcohol Use

Past Year Alcohol Use by Sex, Grade, and Region, 2017 OSDUHS




Notes: (1) vertical 'whiskers' represent 95% confidence intervals; (2) horizontal band represents 95% CI for total estimate; (3) significant difference by grade (p<.05), no significant differences by sex or region



Alcohol

- 16% students report getting drunk at least once in the past month
- 17% (1 in 6) students report binge drinking
- 14% (1 in 7) gr. 9-12 students report drinking hazardously or harmfully (AUDIT screener)
- Males and females are equally likely to drink alcohol and to drink hazardously or harmfully







E-Cigarettes, Waterpipes, Hookah



- 11% (~80,800) gr. 7-12 students report using an e-cigarette in the last year
- 2% use an e-cigarette daily
- 6% gr. 7-12 students used a waterpipe at least once in the past year
- Likelihood of e-cigarette and waterpipe/ hookah use increases with grade



Long-term cannabis use trends




Current
cannabis use is
significantly
higher than low
levels of use
seen in the late
80's and early
90's

Long-term cannabis use trends, 1977-2017

MODES OF CANNABIS USE*



Impaired Driving



Impaired Driving & Injury


- 16% (1 in 6) gr. 7-12 students reported riding in a vehicle driven by someone who had been drinking
- 8% (1 in 12) students reported being injured or someone else was injured because of their drinking




Cannabis Legalization

- 35% gr. 7-12 students think cannabis should be legal for adults
- 11% students say they will use the same amount of cannabis as they did before legalization
- 8% say they will try cannabis
- 4% say they will use cannabis more often post legalization











OTHER NOTABLE FINDINGS

Last year use of...

Nonmedical Prescription Drugs

2% of students used ADHD medication without a prescription

Over-the-Counter (OTC) Drugs

9% of students used OTC cough and cold medications to get high

Caffeine & Energy Drinks

- 34% of students consumed an energy drink
- 11% of students consumed coffee and/ or caffeinated tea daily



Sex Differences

Males are significantly more likely than females to use the following drugs:

- Tobacco cigarettes
- Electronic cigarettes
- Waterpipes/ Hookahs
- Smokeless tobacco
- OTC cough/ cold medication
- Energy drinks
- Mushroom/ Mescaline
- LSD






Regional Differences

- Students in the North, West and East do not significantly differ from provincial averages and use measures
- Students in the GTA are less likely to smoke tobacco cigarettes, use mushrooms and energy drinks
- Students in the GTA are more likely to use inhalants and OTC cough or cold medications



Age of Initiation

Percentage Reporting First-Time Use of the Substance in the Past Year, 1999–2017 OSDUHS (Grades 7–12)



 Students today are initiating substance use at older ages than in the past.

Shifts in Substance Use

- 44% (~332,000) gr. 7-12 students report using no drug at all during the past year
- Past year abstinence significantly decreases with grade
- Significant increasing trend in abstinence between 1999 and 2017

Drug Use Problems

- 14% (1 in 7,~109,700) students report symptoms of a drug use problem (CRAFFT screener)
- 0.6% (~3,800) gr. 9-12 students report that they have been in a treatment program during the past year due to alcohol and/ or drug use
- 2% (~ 9,800) of gr. 9- 12 students report symptoms of cannabis dependence

Today's Panel



Dr. Robert Mann, Senior Scientist, Population Health and Community Transformation, Institute for Mental Health Policy Research, CAMH, and Associate Professor, Dalla Lana School of Public Health, University of Toronto



Dr. Hayley Hamilton, Research Scientist, Population Health and Community Transformation, Institute for Mental Health Policy Research, CAMH



Joanna Seel, Social Worker, Youth Concurrent Disorders Services, CAMH



Positive Findings

Some Concerns







Thank you!

To access the OSDUHS report, please go to:

www.camh.ca/research/osduhs

For more information, please contact:

Tamar Meyer

Supervisor
Knowledge Exchange, Provincial System Support Program
tamar.meyer@camh.ca

Angela Boak, Research Coordinator and Analyst Institute for Mental Health Policy Research angela.boak@camh.ca

